इलेक्ट्रॉनिकी और सूचना प्रौद्योगिकी मंत्रालय एस. टी. क्यू. सी. निदेशाल्य डलेक्ट्रॉनिकी क्षेत्रीय परीक्षण प्रयोगशाला (पूर्व)

Government of India Ministry of Electronics & Information Technology STOC Directorate ELECTRONICS REGIONAL TEST LABORATORY (EAST) Kolkata

Project No. ES/EMBI/192008

18th September 2020

Web Application Security Audit

Application Name

: Website of Embassy of India, Bucharest

Customer's Address: Embassy of India, Bucharest

: 46, Boulevard Aviatorilor, Sector-1 : 011864 BUCHAREST, Romania

: PIN - 011864

Site URL

: https://www.eoibucharest.gov.in

Temporary URL

: https://www.eoibucharest.gov.in

Audit Performed by : STQC IT Services, Kolkata

Testing Date

: 30th September 2019 to 10th January 2020 (Stage-I) : 9th September 2020 to 10th September 2020 (Stage-II)

OWASP Top 10 (2017) Vulnerabilities

SI. No	Web Application Vulnerabilities	Observation	Remarks
A1	Injection	No issues	
A2	Broken Authentication	No issues	**
A3	Sensitive Data Exposure	No issues	
A4	XML External Entities	No issues	
A5	Broken Access Control	No issues	222.
A6	Security Misconfiguration	No issues	••
A7	Cross-Site Scripting	No issues	
A8	Insecure Deserialization	No issues	**
Α9	Using Components with Known Vulnerabilities	No issues	
A1 0	Insufficient Logging and Monitoring	No issues	

Recommendation:

1. The website may be hosted at https://www.eoibucharest.gov.in,with Read Only permission.

2. Hardening / proper secured configuration of the Web Server and Operating System need to be done in the production environment where the application will be hosted. Vulnerability assessment of the critical servers and perimeter devices should be done at regular intervals.

3. Source code of the website may be audited in Phase-II.

Conclusion:

The Web Application is free from OWASP-Top 10 (2017) vulnerabilities and is safe for hosting, if configured as recommended.

Audited By: Arpita Datta

Scientist 'E'

Approved By: Subhendu Das

Scientist 'G' & Head, eSecurity Testing



डी.एन-63, सेक्टर-V, सॉल्ट लेक सिटी, कोलकाता-700 091 • DN-63, Sector-V, Salt Lake City, Kolkata-700 091 Phone: (033)2367-3662/6577/7543 (EPABX), Fax: +91-33-2367 9472, E-mail: ertleast@stqc.gov.in, Website: www.stqc.gov.in